


# Leader Windbreak




## Leader Windbreak Components



## features & benefits

- A Modular cafe windbreak barrier and pedestrian guidance system
- Ideal for defining areas outside restaurants, bars and shopping centres
- Easy to assemble and portable with quick release thumbscrews
- Suitable for indoor use and outdoor use with the base weight
- Wind-spill feature allows wind speeds up to beaufort 5 on single graphics

## Leader Windbreak Examples.



## hardware specifications

- (A) 1000mm Graphic Pole: **CW100**  
Max graphic size: 1000mm x 1000mm  
Post to post length: 1105mm  
Weight: 0.40kg
- (B) 1500mm Graphic Pole: **CW150**  
Max graphic Size: 1000 x 1500mm  
Post to post length: 1610mm  
Weight: 0.60kg
- (C) 2000mm Graphic Pole: **CW200**  
Max graphic Size: 1000 x 2000mm  
Post to post size: 2110mm  
Weight: 0.78kg
- (D) End post: **CW010**  
1060mm(H) x 450mm Dia  
Weight: 9kg.

- (E) Centre Post: **CW020**  
1060mm (H) x 450mm Dia  
Weight 9kg
- (F) Corner Post: **CW030**  
1060mm (H) x 450mm Dia  
Weight 9kg
- (G) Base weight: **LN900**  
9Kg

Maximum Visible Graphic Dimensions (mm):  
2000mm x 920  
1500mm x 920  
1000mm x 920  
Hem information: See reverse  
All Dimensions and weights are Approximate.

## additional info

Recommended graphic substrate:  
Lightweight outdoor textiles  
(solid or mesh type substrates)

Graphic Template info:  
See reverse

Outdoor and extra stability:  
The base weight LN900 should be  
used for all outdoor applications

# Assembly Instructions



1 Slide the graphic attachment ring over the pole.



2 Attach pole to dome base, by screwing through base into Linear post.



3 Slide down graphic pole into post fitting



4 Fix pole to post by tightening thumb screw



5 Hook carabina clip through eyelets on graphic.



6 Ensuring graphic is secure and the metal ring can slide up the pole freely

## Hem stitching information:

